PATENT COOPERATION TREATY

PCT

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference	FOR FURTHER ACTION	See Form PCT/IPEA/416	*				
P185:		rear) Priority date (day/month/year)					
International application No.	International filing date (day/monthly	16.07.2003	8				
PCT/B2004/002309	16.07.2004	(0.07.2	<u> 84 </u>				
International Patent Classification (IPC) or national classification and IPC							
A45C13/24, G08B13/00, A44B19/00							
			ÖPY				
Applicant							
MICHIDA, Taizo							
This report is the International preliminary examination report, established by this International Preliminary Examining This report is the International preliminary examination report, established by this International Preliminary Examining This report is the International preliminary examination report, established by this International Preliminary Examining							
Authority under Article 35 and transmitted to the depleted to							
2. This REPORT consists of a total	This REPORT consists of a total of 5 sheets, including this cover sheet.						
This report is also accompanied t	This report is also accompanied by ANNEXES, comprising: a. sent to the applicant and to the International Bureau) a total of sheets, as follows:						
			is:report				
sheets of the description, claims and/or drawings which have been affected and all the section 607 of the							
Administrative instruc	ions).	way and a remaiders contain an emendment th	af goes				
sheets which superse	de earlier sneets, but which this r in the international application as	s filled, as Indicated in item 4 of Box No. I and	i tine				
b. (sent to the International Bureau only) a total of (indicate type and number of electronic carrier(s)), containing a							
sequence listing and/or tables related thereto, in computer robusts of the Administrative Instructions). Box Relating to Sequence Listing (see Section 802 of the Administrative Instructions).							
4. This report contains indications r	elating to the following items:						
☑ Box No. I Basis of the op							
D m No II Driority	No. 11 Priority						
☐ Box No. III Non-estabilshr	and industrial appropriate inventive step and inventive						
Course W Lock of unity of	l sek of unity of invention						
	Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement						
	and the selection of th						
☐ Box No. VIII Certain observations on the international application							
M BOX NO. VIII CONCERN CELEVITATION							
Date of submission of the demand	Date of	completion of this report					
Date of Submission of the Paris			:				
10.05.0005		.2005	:				
13.05.2005							
Name and mailing address of the Internation	Authori	zed Officer	Prise				
preliminary examining authority:		· · · · · · · · · · · · · · · · · · ·					
European Patent Office D-80298 Munich	Lang,	D:					
Tel. +49 89 2399 - 0 Tx: 52 Fax: +49 89 2399 - 4465	3656 epmu d Teleph	one No. +49 89 2399-2092	- Other -				

19/564504

INTERNATIONAL PRELIMINARY REPORT International a PCT/IB2004

International application No. PCT/B2004/002309

		IAP2U Rec		3 1/11/2006	.	
	Box No. I Basis of the report				<u>. </u>	
1.	With regard to the language, this report is based on the international application in the language in which it vi filed, unless otherwise indicated under this item.					
	which is the language of a tre international search (unde publication of the international preliminary ex	amination (under Rule 12.4) Camination (under Rules 55.2 and/o	r 55,3)			
2.	With regard to the elements of the have been furnished to the receive report as "originally filed" and are	placement sneets are referred to in	this			
	Description, Pages			:	:	
		as originally filed				
	Claims, Numbers					
	1-18	received on 23.05.2005 with letter of 13	1.05.2005			
	Drawings, Sheets					
	1/43-43/43	as originally filed		;	:	
	☐ a sequence listing and/or any	related table(s) - see Supplements	al Box Relating to S	Sequence Listing	,	
3.	☐ The amendments have resulted the description, pages ☐ the claims, Nos. ☐ the drawings, sheets/figs ☐ the sequence listing (specific pages)	≥ify):	•	!		
4	any table(s) related to see	puence listing (specify):	ts annexed to this	report and listed I	elow	
4.	had not been made, since they no Supplemental Box (Rule 70.2(c)) the description, pages the claims, Nos. the drawings, sheets/figs the sequence listing (specially any table(s) related to see	cify): quence listing (specify):	Bio disclosure as	. sa		
	* If item 4 applies, so	me or all of these sheets	may be marked	auber segeg.		

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/B2004/002309

Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

Yes: Claims 2,3,9,10-15

Claims No:

1,4-8,16-18

Inventive step (IS)

Claims Yes: Claims No:

1,4-8,16-18

Industrial applicability (IA)

Claims Yes: Claims 1-18

No:

2. Citations and explanations (Rule 70.7):

see separate sheet

Certain observations on the International application Box No. VIII

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

see separate shest

0/564504

IAP20 Rec'd PCT/STO 1.3 application No.

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

PCT/IB2004/0023/09

ITEM V:

Concerning independent claim 1:

All the features of claim 1 are known from GB-A-2284698 (see the passages cited in the search report), 11 and 10 being the first elements, 1 being the second element comprising the alert indication. GB-A-2284698 concerns an alarm system and the applicant argues that this is different from an alert system. In the examiner's point of view, these two words can not justify a clear difference in technical features. In the apparatus of GB-A-2284698, the alert indication can be suppressed whenever the first and second elements are adjacent one another by a switch. In the application no other means are disclosed in clam 1.

All the features of claim 1 are also known from US-A-4755802.

The subject matter of claim 1 is not new.

Concerning independent claims 17 and 18:

For the same reasons, all the features of claims 17 and 18 are also known from the documents cited above.

The subject matter of claims 17 and 18 is not new.

Concerning the dependent claims:

The subject-matter of the claims for which documents are cited as X in the search report is not new.

Concerning claims 2 and 3, the subject-matter is not considered as involving an inventive step, the features being normal features of acoustic signals devices.

For claim 4, the mechanical action can simply be the contact in the zipper discloses in US-A-4755802.

Concerning claim 9 it is assumed that it can not be considered as involving an inventive step to produce alert indication on two elements instead of only one.

The way the two elements are connected (magnet, other fastener) can also not be considered as involving an inventive step.


ITEM VIII:

The claims are not clear because they are directed to an alert apparatus but reference is

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET) International application 40.

PCT/IB2004/002309

made to other elements which are not part of this alert apparatus like: -incorporated into an equipment.



10/564504

- 4AP20 Rec'd PCT/7TO 13 JAN 2006

CLAIMS

 Alert apparatus for providing an alert indication directed to a user thereof; the apparatus being incorporated into or being for attachment to fastener equipment for 5 securing an item, wherein said apparatus comprises-

first and second elements, which are moveable together and apart, the item being in a secure position when the first and second elements are together;

wherein at least one of the elements is arranged to 10 provide an elect indication directed to the user, said alert indication being suppressed whenever the first and second elements are at or adjacent one another.

- Alert apparatus according to claim 1, wherein at least
 one of said elements includes a bell having a clapper or ball for providing said alert indication.
- 3. Alert apparatus according to claim 2, wherein movement of said clapper or ball is suppressed whenever the first and 20 second elements are at or adjacent one another.
- 4. Alert apparatus according to any preceding claim, wherein the fastener equipment is for securing an aperture in an item closed, and said first and second elements are moveable together for closing the aperture and moveable apart for opening the aperture.



- 5. Alert apparatus according to claim 1, 2 or 3, wherein the fastener equipment is for securing first and second members together, and said first and second elements are moveable together for attaching said first and second members and 5 moveable apart for detaching said first and second members.
 - 6. Alert apparatus according to any preceding claim, wherein at least one of said elements has magnetic means for suppressing said alert indication by means of magnetic force.

10

7. Alert apparatus according to any one of claims 1-5, wherein at: least one of said elements has mechanical means for suppressing said alert indication by means of mechanical action.

15

8. Alert apparatus according to any one of claims 1, and 4-7, wherein one of said elements includes an electronic device operable to emit light, sound, vibration or any combination thereof for providing said alert indication.

20

- 9. Alert apparatus according to any preceding claim, wherein both said, elements are arranged to provide an alart indication.
- 25 10. Alert apparatus according to any preceding claim, wherein said elements can be connected together by means of a

15

25

said item.

- 86 -

magnetic force.

- 11. Alert apparatus according to any preceding claim, wherein said elements can be connected together by means of a surface fastener or a buckle.
- 12. Alert apparatus according to any preceding claim, wherein at least one of said elements is connectable to a slider of a slide fastener that is incorporated in a wearable or 10 portable item.
 - 13. Alert apparatus according to claim 12, wherein said first element is connectable to a first slider, and said second element is connectable to a second slider.
- 14. Alert apparatus according to any one of claims 1-12, wherein said first element is connectable to a slider of a slide fastener that is incorporated in a wearable or portable item, and said second element can be disposed on said 20 wearable or portable item in a fixed position relative to
 - 15. Alert apparatus according to claim 12, 13 or 14, wherein said slide fastener is a zip fastener.
 - 16. Alert apparatus according to any preceding claim, wherein

- 87 -

said item is a portable item or a wearable item.

17. Alert apparatus for providing an alert indication directed to a user thereof; the apparatus being incorporated 5 into or being for attachment to fastener equipment for closing an aperture in an item, wherein said apparatus comprises-

first and second elements, which are moveable together for closing said aparture and apart for opening said 10 aperture:

wherein at least one of the elements is arranged to provide an alert indication directed to the user, said alert indication being suppressed whenever the first and second elements are at or adjacent one another.

15 .

- 18. Alert apparatus for providing an alert indication directed to a user thereof for incorporation into or attachment to fastener equipment for securing an item, wherein said apparatus comprises-
- 20 first and second elements, which are moveable together and apart, the item being in a secure position when the first and second elements are together when incorporated in or attached to the fastener equipment;

wherein at least one of the elements is arranged to 25 provide an alert indication directed to the user, said alert indication: being suppressed whenever the first and second:

014 13.05.2005

- 88 -

elements are at or adjacent one another.

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.